

TECHNICAL DATA SHEET

Mag Wheel Bash

1. Product Description

Mag Wheel Bash is a powerful, ready-to-use wheel cleaner formulated to remove stubborn brake dust, road grime, oil, and tar from alloy and mag wheels. Its fast-acting formula breaks down dirt without the need for aggressive scrubbing, restoring a brilliant, showroom-quality shine to wheels and rims.

2. Applications

- Cleaning mag and alloy wheels on cars, bakkies, bikes, and SUVs
- Removal of brake dust, oil film, road grime, and tar
- Ideal for use by car washes, detailing services, workshops, and private car owners

3. Product Features

- Quick-action formula for deep wheel cleaning
- Safe on most painted, clear-coated, and chrome wheels
- Penetrates brake dust and oily residue effectively

- Leaves no greasy residue after rinsing
- Spray-and-rinse formula – minimal effort required
- Suitable for regular use

4. Typical Properties

Property	Specification
Appearance	Clear to light blue liquid
Fragrance	Mild chemical scent
pH (neat)	4.0 – 6.0
Density (25°C)	1.00 – 1.05 g/cm ³
Solubility	Completely water-soluble
Action Time	1–3 minutes



062 352 2368



thulekafactory@gmail.com



50 robyn street,
Jukskeipark

- Do not mix with other chemicals or acids

TECHNICAL DATA SHEET

5. Directions for Use

1. Shake well before use.
2. Spray directly onto cool, dry wheel surface.
3. Allow to sit for 1–3 minutes (do not allow to dry).
4. Agitate with a soft wheel brush if necessary.
5. Rinse thoroughly with clean water.
6. Dry with microfiber cloth for best results.

Note: Always test on an inconspicuous area first. Do not use on hot wheels or in direct sunlight. Not recommended for uncoated or anodised aluminium.

6. Storage & Handling

- Store in a cool, dry area out of direct sunlight
- Keep container sealed when not in use

- Use gloves when handling large quantities
- Keep out of reach of children and pets

7. Packaging

Available in:

- 500ml, 1L trigger bottles
- 5L and 25L refill containers
- Bulk options available on request

8. Safety & First Aid

- **Skin Contact:** Wash with soap and water if irritation occurs
- **Eye Contact:** Rinse with water for at least 15 minutes
- **Inhalation:** Move to fresh air if vapours cause discomfort
- **Ingestion:** Do not induce vomiting – seek immediate medical attention



062 352 2368



thulekafactory@gmail.com



50 robyn street,
Jukskeipark



TECHNICAL DATA SHEET



062 352 2368



thulekafactory@gmail.com



50 robyn street,
Jukskeipark